



N-DOPTOR API

API Documentation



SEPTEMBER 28, 2022
TAPPWARE SOLUTION LIMITED

Table of Contents

1. Division.....	3
2. District.....	6
3. Upazila.....	9
4. Union.....	11
5. City Corporation.....	13
7. City Corporation Ward.....	15
8. Municipality.....	17
9. Municipality Ward.....	19
10. Thana.....	22
11. Post Office.....	24
12. Office.....	26
13. Office Front Desk.....	28
14. Office Unit.....	30
15. Office Unit Organogram.....	32
16. Office Unit Category.....	35
17. Office Incharge Type.....	37
18. Office Origin Unit Organogram.....	39
19. Ministry.....	41
20. Office Layer.....	43
21. Office Unit Category.....	45
22. Employee Office.....	47
23. Employee Record.....	49
24. Employee Batch.....	51
25. Employee Cadre.....	53
26. Employee Grade.....	55
27. Employee Policy Role.....	57
28. Employee Additional Role.....	59
29. Office Origin.....	61
30. Office Origin Unit.....	63
31. Office Origin Unit Organogram.....	65

1.Division

Parameter Name	Division
Description	A list of all the Division can be found through this parameter with BBS code.

Request

Live Method	GET
Live URL	https://n-doctor-api.nothi.gov.bd/api/v1/division
Training Method	POST
Training URL	https://n-doctor-api-stage.nothi.gov.bd/api/v1/division

Params

id:
name:
nameBn:
bbsCode:
status:
xgselect:
xgorder:
xgoffset:
xgdesc:1
xglimit:5
xgcount:
xglogic:or

Response

Method	URL
JSON	<pre>[{ "bbsCode": "10", "name": "Barisal", "nameBn": "বরিশাল", "id": 1 }, { "bbsCode": "20", "name": "Chittagong", "nameBn": "চট্টগ্রাম", "id": 2 }, { "bbsCode": "30", "name": "Dhaka", "nameBn": "ঢাকা", "id": 3 }, { "bbsCode": "40", "name": "Khulna", "nameBn": "খুলনা", "id": 4 }, { "bbsCode": "50",</pre>

```
"name": "Rajshahi",
"nameBn": "রাজশাহী",
"id": 5
},
{
  "bbsCode": "55",
  "name": "Rangpur",
  "nameBn": "রংপুর",
  "id": 6
},
{
  "bbsCode": "৭০",
  "name": "Sylhet",
  "nameBn": "সিলেট",
  "id": 7
},
{
  "bbsCode": "45",
  "name": "Mymensingh",
  "nameBn": "ময়মনসিংহ",
  "id": 9
}
]
```

2.District

Parameter Name	District
Description	A list of all the District including Division Id can be found through this parameter with BBS code.

Request

Method	Get
Live URL	https://n-doctor-api.nothi.gov.bd/api/v1/district
Method	Post
Training URL	https://n-doctor-api-stage.nothi.gov.bd/api/v1/district

Params

id: name: nameBn: bbsCode: division: status: xgselect: xgorder: xgoffset: xgdesc:1 xglimit:5 xgcount: xglogic:or
--

Response

Method	URL
JSON	<pre>[{ "division": 1, "bbsCode": "04", "name": "BARGUNA", "nameBn": "বরগুনা", "id": 1 }, { "division": 1, "bbsCode": "06", "name": "BARISAL", "nameBn": "বরিশাল", "id": 2 }, { "division": 1, "bbsCode": "09", "name": "BHOLA", "nameBn": "ভোলা", "id": 3 }, { "division": 1, "bbsCode": "42", "name": "JHALOKATI", "nameBn": "ঝালকাঠি", "id": 4 }, { "division": 1, "bbsCode": "78", "name": "PATUAKHALI", "nameBn": "পটুয়াখালী ", "id": 5 }, { "division": 1, "bbsCode": "79", "name": "PIROJPUR", "nameBn": "পিরোজপুর ", "id": 6 }, { "division": 2, "bbsCode": "03", "name": "BANDARBAN",</pre>

```
"nameBn": "বান্দরবান",  
"id": 7  
},  
{  
"division": 2,  
"bbsCode": "12",  
"name": "BRAHMANBARIA",  
"nameBn": "ব্রাহ্মণবাড়িয়া",  
"id": 8  
},
```


3.Upazila

Parameter Name	Upazila
Description	Lists of all Upazila including Division and District IDs can be found through this parameter with BBS code.

Request

Method	Get
Live URL	https://n-doctor-api.nothi.gov.bd/api/v1/upazila
Method	Post
Training URL	https://n-doctor-api-stage.nothi.gov.bd/api/v1/upazila

Params

id:1 name: nameBn: bbsCode: division: status: district:1 xgselect: xgorder: xgoffset: xgdesc:1 xglimit:5 xgcount: xglogic:or

Response

Method	URL
JSON	<pre>[{ "division": 1, "bbsCode": "09", "district": 1, "name": "AMTALI", "nameBn": "আমতলী ", "id": 1 }]</pre>

4.Union

Parameter Name	Union
Description	Lists of all Union including Upazilas, Division and District IDs can be found through this parameter with BBS code.

Request

Method	Get
Live URL	https://n-doctor-api.nothi.gov.bd/api/v1/union
Method	Post
Training URL	https://n-doctor-api-stage.nothi.gov.bd/api/v1/union

Params

id:1
name:
nameBn:
bbsCode:
division:
status:
district:1
xgselect:
xgorder:
xgoffset:
xgdesc:1
xglimit:5
xgcount:
xglogic:or

Response

Method	URL
JSON	<pre>[{ "division": 5, "bbsCode": "13", "district": 45, "name": "ADAM DIGHI", "nameBn": "আদমদিঘি", "id": 1, "upazila": 329 }]</pre>

5.City Corporation

Parameter Name	City Corporation
Description	Lists of all City Corporation including Division and District IDs can be found through this parameter with BBS code.

Request

Method	Get
Live URL	https://n-doctor-api.nothi.gov.bd/api/v1/citycorporation
Method	Post
Training URL	https://n-doctor-api-stage.nothi.gov.bd/api/v1/citycorporation

Params

id:1 name: nameBn: bbsCode: division: district: status: xgselect: xgorder: xgoffset: xgdesc:1 xglimit:5 xgcount: xglogic:or
--

Response

Method	URL
JSON	<pre>[{ "division": 1, "district": 2, "nameBn": "বরিশাল সিটি কর্পোরেশন", "name": "BARISAL CITY CORP.", "bbsCode": "50", "id": 1 }]</pre>

7.City Corporation Ward

Parameter Name	City Corporation Ward
Description	Lists of all City Corporation Ward including City Corporation, Division and District IDs can be found through this parameter with BBS code.

Request

Method	Get
Live URL	https://n-doctor-api.nothi.gov.bd/api/v1/citycorporationward
Method	Post
Training URL	https://n-doctor-api-stage.nothi.gov.bd/api/v1/citycorporationward

Params

id:
name:
nameBn:
bbsCode:
division:
district:
status:
citycorporation:
xgselect:
xgorder:
xgoffset:
xgdesc:1
xglimit:5
xgcount:
xglogic:or

Response

Method	URL
JSON	<pre data-bbox="464 405 1527 546">{ "status": "error", "message": "No data found." }</pre> <p data-bbox="464 551 1082 584">[Note: There is no data available in this table]</p>

8.Municipality

Parameter Name	Municipality
Description	Lists of all Municipality including Division and District IDs can be found through this parameter with BBS code.

Request

Method	Get
Live URL	https://n-doctor-api.nothi.gov.bd/api/v1/municipalitie
Method	Post
Training URL	https://n-doctor-api-stage.nothi.gov.bd/api/v1/municipalitie

Params

id:
name:
nameBn:আমতলী
bbsCode:
status:
division:
district:
upazila:
xgselect:
xgorder:
xgoffset:
xgdesc:1
xglimit:5
xgcount:
xglogic:or

Response

Method	URL
JSON	<pre>[{ "division": 1, "district": 1, "upazila": 1, "name": "AMTALI PAURASAVA", "nameBn": "আমতলী পৌরসভা", "bbsCode": "20", "id": 6 }]</pre>

9.Municipality Ward

Parameter Name	Municipality Ward
Description	Lists of all Municipality Ward including Municipality Ward, Division and District IDs can be found through this parameter with BBS code.

Request

Method	Get
Live URL	https://n-doctor-api.nothi.gov.bd/api/v1/municipalityward
Method	Post
Training URL	https://n-doctor-api-stage.nothi.gov.bd/api/v1/municipalityward

Params

id:
name:
nameBn:আমতলী
bbsCode:
status:
division:
district:
upazila:
xgselect:
xgorder:
xgoffset:
xgdesc:1
xglimit:5
xgcount:
xglogic:or

Response

Method	URL
JSON	<pre data-bbox="472 416 1544 573">{ "status": "error", "message": "No data found." }</pre> <p data-bbox="472 577 1086 611">[Note: There is no data available in this Table]</p>

10. Thana

Parameter Name	Thana
Description	Lists of all Thana including Division and District IDs can be found through this parameter with BBS code.

Request

Method	Get
Live URL	https://n-doctor-api.nothi.gov.bd/api/v1/thana
Method	Post
Training URL	https://n-doctor-api-stage.nothi.gov.bd/api/v1/thana

Params

id:
name:
nameBn:
bbsCode:
status:
division:
district:
xgselect:
xgorder:
xgoffset:
xgdesc:1
xglimit:5
xgcount:
xglogic:or

Response

Method	URL
JSON	<pre>[{ "division": 4, "district": 35, "name": "BAGERHAT SADAR", "nameBn": "বাগেরহাট সদর", "bbsCode": "08", "id": 1 }, { "division": 4, "district": 35, "name": "CHITALMARI", "nameBn": "চিতলমারী", "bbsCode": "14", "id": 2 }, { "division": 4, "district": 35, "name": "FAKIRHAT", "nameBn": "ফকিরহাট", "bbsCode": "34", "id": 3 }, { "division": 4, "district": 35, "name": "KACHUA", "nameBn": "কচুয়া", "bbsCode": "38", "id": 4 }]</pre>

11. Post Office

Parameter Name	Post Office
Description	Lists of all Post Office including Upazila, Division and District IDs can be found through this parameter with BBS code.

Request

Method	Get
Live URL	https://n-doctor-api.nothi.gov.bd/api/v1/postoffice
Method	Post
Training URL	https://n-doctor-api-stage.nothi.gov.bd/api/v1/postoffice

Params

id:
name:
nameBn:
bbsCode:
status:
division:
district:
upazila:
xgselect:
xgorder:
xgoffset:
xgdesc:1
xglimit:5
xgcount:
xglogic:or

Response

Method	URL
JSON	<pre>[{ "division": 1, "district": 0, "upazila": 16, "name": "Borakotha", "nameBn": "", "bbsCode": "8223", "id": 1 }]</pre>

12. Office

Parameter Name	Office
Description	Lists of all Office including Division and District, Upazila, Digital Nothi code, Ministry, Layer, Origin IDs and Mobile, email & Website can be found through this parameter with BBS code.

Request

Method	Get
Live URL	https://n-doctor-api.nothi.gov.bd/api/v1/office
Method	Post
Training URL	https://n-doctor-api-stage.nothi.gov.bd/api/v1/office

Params

id:
name:
nameBn:
ministry:
layer:
division:
district:
upazila:
code:
address:
email:
website:
phone:
mobile:
fax:
parent:
status:

xgselect:
xgorder:
xgoffset:
xgdesc:1
xglimit:5
xgcount:
xglogic:or

Response

Method	URL
JSON	<pre>[{ "id": 3, "nameBn": "জেলা প্রশাসকের কার্যালয়, চট্টগ্রাম", "name": "Office of the Deputy Commissioner, Chittagong", "code": "৪২", "division": 2, "district": 10, "upazila": 0, "phone": "০৩১- ৬১৯৯৯৬", "mobile": "01713104332", "digitalNothiCode": "০৫.৪২.১৫০০", "fax": "৮৮-০৩১-৬২০৫৭০, ৮৮-০৩১-৬৩৫২৭২", "email": "dcchittagong@mopa.gov.bd", "website": "www.chittagong.gov.bd", "ministry": 5, "layer": 22, "origin": 16, "customLayer": 25, "parentOfficeId": 10 }]</pre>

13. Office Front Desk

Parameter Name	Office Front Desk
Description	This parameter will show the office front desk assign person name, designation Label, office ID, office Unit Id, office Unit Name, office Unit Organogram Id, officer Id etc.

Request

Method	Get
Live URL	https://n-doctor-api.nothi.gov.bd/api/v1/officefrontdesk
Method	Post
Training URL	https://n-doctor-api-stage.nothi.gov.bd/api/v1/officefrontdesk

Params

```
officeName:  
xgdesc:1  
xglimit:5  
xglogic:or  
officId:4714  
id:  
address:  
officeUnitId:  
officeUnitName:  
officeUnitOrganogramId:  
designationLabel:  
officerId:  
officerName:  
xgselect:  
xgorder:  
xgoffset:  
xgcount:
```

Response

Method	URL
JSON	<pre>[{ "id": 7402, "officeId": 4714, "officeName": "বাংলাদেশ টেলিযোগাযোগ নিয়ন্ত্রণ কমিশন", "address": "আইইবি ভবন, রমনা, ঢাকা - ১০০০।", "officeUnitId": 19363, "officeUnitName": "চেয়ারম্যান এর দপ্তর", "officeUnitOrganogramId": 103396, "designationLabel": "উপ- সহকারি পরিচালক", "officerId": 109901, "officerName": "মোঃ হাফিজুর রহমান " }]</pre>

14. Office Unit

Parameter Name	Office Unit
Description	This parameter will show the Unit Id, parent, sarok, level, office, layer, phone, office origin unit id, category, email etc.

Request

Method	Get
Live URL	https://n-doptor-api.nothi.gov.bd/api/v1/officeunit
Method	Post
Training URL	https://n-doptor-api-stage.nothi.gov.bd/api/v1/officeunit

Params

id:210
office:
ministry:
name:UNO Office
nameBn:উপজেলা নির্বাহী অফিসারের কার্যালয়
level:
layer:
phone:
email:
fax:
status:
xgselect:name nameBn
xgorder:layer
xgoffset:10
xgdesc:1
xglimit:2
xgcount:
xglogic:or

Response

Method	URL
JSON	<pre>[{ "id": 210, "parent": 0, "sarok": 0, "level": 0, "nameBn": "উপজেলা নির্বাহী অফিসারের কার্যালয়", "office": "UNO Office", "layer": 5, "phone": null, "nothi": "০০০", "officeoriginunitid": 27, "category": "দপ্তর", "fax": null, "email": null }]</pre>

15. Office Unit Organogram

Parameter Name	Office Unit Organogram
Description	This parameter will show the Office Unit Organogram Id, origin Unit, sequence, superior Unit, superior Designation, level, name, short Name Bn etc.

Request

Method	Get
Live URL	https://n-doctor-api.nothi.gov.bd/api/v1/officeunitorganogram
Method	Post
Training URL	https://n-doctor-api-stage.nothi.gov.bd/api/v1/officeunitorganogram

Params

id:
office:
unit:
superiorUnit:301
superiorDesignation:
name:
nameBn:
shortName:
shortNameBn:
designationLevel:
designationSequence:
description:
refOrigin:
status:
xgselect:
xgorder:
xgoffset:

xgdesc:1
xglimit:5
xgcount:
xglogic:or

Response

Method	URL
JSON	<pre>[{ "id": 726, "originUnit": 570, "sequence": 1, "superiorUnit": 301, "superiorDesignation": 726, "designationLevel": 4, "nameBn": "জিসিও", "name": "GCO", "shortNameBn": "", "shortName": "", "refOrigin": 570 }, { "id": 727, "originUnit": 615, "sequence": 999, "superiorUnit": 301, "superiorDesignation": 727, "designationLevel": 6, "nameBn": "-----", "name": "LDA", "shortNameBn": "", "shortName": "", "refOrigin": 615 }, { "id": 728, "originUnit": 616, "sequence": 999, "superiorUnit": 301, "superiorDesignation": 727, "designationLevel": 7, "nameBn": "-----", "name": "MLSS", "shortNameBn": "", "shortName": "" }]</pre>

	<pre>"refOrigin": 616 },</pre>
--	------------------------------------

16. Office Unit Category

Parameter Name	Office Unit Category
Description	This parameter will show the Office Unit Category including the ID, Name in English and Name in Bangla

Request

Method	Get
Live URL	https://n-doptor-api.nothi.gov.bd/api/v1/officeinchargetype
Method	Post
Training URL	https://n-doptor-api-stage.nothi.gov.bd/api/v1/officeinchargetype

Params

id:
name:
nameBn:
xgselect:
xgorder:
xgoffset:
xgdesc:1
xglimit:5
xgcount:
xglogic:or

Response

Method	URL
JSON	<pre>[{ "id": 2, "name": "Office", "nameBn": "দপ্তর" }, { "id": 3, "name": "Section", "nameBn": "শাখা" }, { "id": 4, "name": "Wing", "nameBn": "অনুবিভাগ" }, { "id": 5, "name": "Branch", "nameBn": "অধিশাখা" }]</pre>

17. Office Incharge Type

Parameter Name	Office In charge Type
Description	This parameter will show the Office In charge Type Id, Name Bn etc.

Request

Method	Get
Live URL	https://n-doptor-api.nothi.gov.bd/api/v1/officeincharge
Method	Post
Training URL	https://n-doptor-api-stage.nothi.gov.bd/api/v1/officeincharge

Params

id:
name:
nameBn:
xgselect:
xgorder:
xgoffset:
xgdesc:1
xglimit:5
xgcount:
xglogic:or

Response

Method	URL
JSON	<pre>[{ "name": "Incharge", "nameBn": "ভারপ্রাপ্ত", "id": 1 }, { "name": "Current", "nameBn": "চলতি দায়িত্ব", "id": 2 }, { "name": "Additional", "nameBn": "অতিরিক্ত দায়িত্ব", "id": 3 }, { "name": "Regular Responsibility", "nameBn": "রুটিন দায়িত্ব", "id": 4 }]</pre>

18. Office Origin Unit Organogram

Parameter Name	Office Origin Unit Organogram
Description	This parameter will show the office origin unit organogram where level, name bd, name origin unit and id are available

Request

Method	Get
Live URL	https://n-doptor-api.nothi.gov.bd/api/v1/officeoriginunitorganogram
Method	Post
Training URL	https://n-doptor-api-stage.nothi.gov.bd/api/v1/officeoriginunitorganogram

Params

id:51
originUnit:
superiorUnit:
superiorDesignation:
name:
nameBn:
shortName:
shortNameBn:
level:
sequence:
status:
xgselect:
xgorder:
xgoffset:
xgdesc:1
xglimit:5
xgcount:
xglogic:or

Response

Method	URL
JSON	<pre>[{ "sequence": 1, "superiorUnit": 0, "superiorDesignation": 0, "level": 1, "nameBn": "জেলা প্রশাসক", "name": "DC", "shortNameBn": "", "originUnit": 4, "shortName": "", "id": 51 }]</pre>

19. Ministry

Parameter Name	Ministry
Description	Specific Ministry ID can be found through this parameter including name, nameBn, name Short, reference ID, type.

Request

Method	Get
Live URL	https://n-doctor-api.nothi.gov.bd/api/v1/officeministry
Method	Post
Training URL	https://n-doctor-api-stage.nothi.gov.bd/api/v1/officeministry

Params

id:
type:
reference:
name:
nameShort:
nameBn:রাষ্ট্রপতি
status:
xgselect:
xgorder:
xgoffset:
xgdesc:1
xglimit:5
xgcount:
xglogic:or

Response

Method	Response
JSON	<pre>[{ "id": 1, "name": "Office of the President of Bangladesh", "nameBn": "রাষ্ট্রপতির কার্যালয়", "nameShort": "BANGABHABAN", "reference": "O১", "type": 1 }, { "id": 55, "name": "Public Division, President Office", "nameBn": "জন বিভাগ, রাষ্ট্রপতির কার্যালয়", "nameShort": "Bangabhaban", "reference": "O১", "type": 2 }]</pre>

20. Office Layer

Parameter Name	Office Layer
Description	Through this parameter can be found Office Layer id, custom layer id, level, name, name Bn

Request

Method	Get
Live URL	https://n-doctor-api.nothi.gov.bd/api/v1/officelayer
Method	Post
Training URL	https://n-doctor-api-stage.nothi.gov.bd/api/v1/officelayer

Params

```
xgdesc:1
xglimit:5
xglogic:or
id:
parent:
ministry:26
name:
nameBn:
level:
sequence:
status:
xgselect:
xgorder:
xgoffset:
xgcount:
```

Response

Method	URL
JSON	<pre>[{ "customlayerid": 19, "level": 1, "name": "Ministry", "nameBn": "মন্ত্রণালয়", "id": 165 }, { "customlayerid": 21, "level": 2, "name": "Directorate", "nameBn": "অধিদপ্তর/পরিদপ্তর", "id": 200 },]</pre>

21. Office Unit Category

Parameter Name	Office Unit Category
Description	Through this parameter can be found Office Unit Category ID & its details.

Request

Method	Get
Live URL	https://n-doptor-api.nothi.gov.bd/api/v1/officeunitcategory
Method	Post
Training URL	https://n-doptor-api-stage.nothi.gov.bd/api/v1/officeunitcategory

Params

id:
name:
nameBn:
xgselect:
xgorder:
xgoffset:
xgdesc:1
xglimit:5
xgcount:
xglogic:or

Response

Method	URL
JSON	<pre>[{ "id": 2, "name": "Office", "nameBn": "দপ্তর" }, { "id": 3, "name": "Section", "nameBn": "শাখা" },]</pre>

22. Employee Office

Parameter Name	Employee Office
Description	Through this parameter can be found Employee Office ID including unit, employee Record, joining Date, office, designation, organogram, last Date, status, office Head.

Request

Method	Get
Live URL	https://n-doctor-api.nothi.gov.bd/api/v1/empoffice
Method	Post
Training URL	https://n-doctor-api-stage.nothi.gov.bd/api/v1/empoffice

Params

id:66
employeeRecord:
idNumber:
designation:
designationLevel:
designationSequence:
office:
unit:
organogram:
joiningDate:
lastDate:
xgselect:
xgorder:
xgoffset:
xgdesc:1
xglimit:5
xgcount:

xglogic:or

Response

Method	URL
JSON	<pre>[{ "unit": 303, "employeeRecord": 30, "joiningDate": null, "office": 11, "id": 66, "designation": "উচ্চমান সহকারী", "organogram": 734, "lastDate": "2016-11-01T00:00:00+00:00", "status": false, "officeHead": 0 }]</pre>

23. Employee Record

Parameter Name	Employee Record
Description	Through this parameter can be found Employee Record information including cadre Non Cadre, gender, father, name Bn, nid, mobile, joining Date, current Office, religion bd.

Request

Method	Get
Live URL	https://n-doctor-api.nothi.gov.bd/api/v1/emprecord
Method	Post
Training URL	https://n-doctor-api-stage.nothi.gov.bd/api/v1/emprecord

Params

id:78
name:
nameBn:
father:
mother:
dob:
nid:
religion:
joiningDate:
currentRank:
currentOffice:
status:
xgselect:
xgorder:
xgoffset:
xgdesc:1
xglimit:5

xgcount:
xglogic:or

Response

Method	URL
JSON	<pre>[{ "cadreNonCadre": 1, "gender": "1", "father": "", "nameBn": "মো: আলমগীর ", "nid": "19719196223360412", "mobile": "01711961743", "joiningDate": null, "currentOffice": 0, "religion": "Islam", "ppn": "", "mother": "", "bloodGroup": "AB+", "dob": "1971-10-01T00:00:00+00:00", "grade": 5, "name": "Md. Alamgir ", "id": 78, "maritalStatus": "Married", "email": "alamgir22nd@gmail.com" }]</pre>

24. Employee Batch

Parameter Name	Employee Batch
Description	Through this parameter can be found Employee Batch id, Number, year.

Request

Method	Get
Live URL	https://n-doctor-api.nothi.gov.bd/api/v1/empbatch
Method	Post
Training URL	https://n-doctor-api-stage.nothi.gov.bd/api/v1/empbatch

Params

id:8
number:
year:
xgselect:
xgorder:
xgoffset:
xgdesc:1
xglimit:5
xgcount:
xglogic:or

Response

Method	URL
JSON	<pre data-bbox="598 403 1532 660">[{ "number": "50", "year": "1966", "id": 8 }]</pre>

25. Employee Cadre

Parameter Name	Employee Cadre
Description	Through this parameter can be found Employee Cadre id, Cadre Name, year.

Request

Method	Get
Live URL	https://n-doptor-api.nothi.gov.bd/api/v1/empcadre
Method	Post
Training URL	https://n-doptor-api-stage.nothi.gov.bd/api/v1/empcadre

Params

id:8
name:
nameBn:
xgselect:
xgorder:
xgoffset:
xgdesc:1
xglimit:5
xgcount:
xglogic:or

Response

Method	URL
JSON	<pre>[{ "name": "BCS (Family Planning)", "nameBn": "বিসিএস (পরিবার পরিকল্পনা)", "id": 8 }]</pre>

26. Employee Grade

Parameter Name	Employee Grade
Description	Through this parameter can be found Employee id, employee Rank, employee Cadre, name, Grade, name Bn etc.

Request

Method	Get
Live URL	https://n-doctor-api.nothi.gov.bd/api/v1/empgrade
Method	POST
Training URL	https://n-doctor-api-stage.nothi.gov.bd/api/v1/empgrade

Params

```
id:2
employeeCadre:
employeeRank:
name:
nameBn:
xgselect:
xgorder:
xgoffset:
xgdesc:1
xglimit:5
xgcount:
xglogic:or
```

Response

Method	URL
JSON	<pre>[{ "employeeRank": 2, "employeeCadre": 9, "name": "Grade 2", "nameBn": "গ্রেড ২", "id": 2 }]</pre>

27. Employee Policy Role

Parameter Name	Employee Policy Role
Description	Through this parameter can be found Employee policy Role Information

Request

Method	Get
Live URL	https://n-doctor-api.nothi.gov.bd/api/v1/emppolicyrole
Method	Post
Training URL	https://n-doctor-api-stage.nothi.gov.bd/api/v1/emppolicyrole

Params

id:
name:
nameBn:
xgselect:
xgorder:
xgoffset:
xgdesc:1
xglimit:5
xgcount:
xglogic:or

Response

Method	URL
JSON	<pre>[{ "name": "Incharge", "nameBn": "ভারপ্রাপ্ত", "id": 1 }, { "name": "Current", "nameBn": "চলতি দায়িত্ব", "id": 2 }, { "name": "Additional", "nameBn": "অতিরিক্ত দায়িত্ব", "id": 3 }, { "name": "Regular Responsibility", "nameBn": "রুটিন দায়িত্ব", "id": 4 }]</pre>

28. Employee Additional Role

Parameter Name	Employee Additional Role
Description	Through this parameter can be found Employee Additional Role Id, ofc_unit_organogram, mapped_ofc_unit_organogram

Request

Method	Get
Live URL	https://n-doptor-api.nothi.gov.bd/api/v1/empadditionalrole
Method	Post
Training URL	https://n-doptor-api-stage.nothi.gov.bd/api/v1/empadditionalrole

Params

```
id:  
officeUnitOrganogramId:558  
mappedOfficeUnitOrganogramId:  
xgselect:  
xgorder:  
xgoffset:  
xgdesc:1  
xglimit:5  
xgcount:  
xglogic:or
```

Response

Method	URL
JSON	<pre>[{ "ofc_unit_organogram": 558, "mapped_ofc_unit_organogram": 579, "id": 1 }]</pre>

29. Office Origin

Parameter Name	Office Origin
Description	Through this parameter can be found Employee Office Origin ID, including parent, sequence, level, name Bn, name, ministry, layer Id.

Request

Method	Get
Live URL	https://n-doctor-api.nothi.gov.bd/api/v1/officeorigin
Method	Post
Training URL	https://n-doctor-api-stage.nothi.gov.bd/api/v1/officeorigin

Params

```
id:  
name:  
nameBn:  
ministry:  
layer:  
parent:  
level:  
sequence:  
status:  
xgselect:  
xgorder:  
xgoffset:  
xgdesc:1  
xglimit:5  
xgcount:  
xglogic:or
```

Response

Method	URL
JSON	<pre>[{ "id": 1, "parent": 0, "sequence": 1, "level": 1, "nameBn": "প্রধানমন্ত্রীর কার্যালয়", "name": "Prime Ministry office", "ministry": 3, "layer": 44 }, { "id": 12, "parent": 0, "sequence": 0, "level": 0, "nameBn": "মন্ত্রণালয়ের কার্যালয়", "name": "Ministry Office", "ministry": 5, "layer": 19 }]</pre>

30. Office Origin Unit

Parameter Name	Office Origin Unit
Description	Through this parameter can be found Employee Office Origin Unit ID, including parent, level, name Bn, name, office Origin, ministry, layer, status Id.

Request

Method	Get
Live URL	https://n-doctor-api.nothi.gov.bd/api/v1/officeoriginunit
Method	Post
Training URL	https://n-doctor-api-stage.nothi.gov.bd/api/v1/officeoriginunit

Params

id:
officeOrigin:
ministry:
name:
nameBn:
level:
layer:
status:
xgselect:
xgorder:
xgoffset:
xgdesc:1
xglimit:5
xgcount:
xglogic:or

Response

Method	URL
JSON	<pre>[{ "parent": 9, "level": 0, "nameBn": "শিক্ষা ও কল্যাণ শাখা", "name": "Education & welfare Section", "officeOrigin": 16, "ministry": 5, "layer": 22, "status": 1, "id": 1 }, { "parent": 0, "level": 0, "nameBn": "জেলা প্রশাসকের কার্যালয়", "name": "Deputy Commissioner Office", "officeOrigin": 16, "ministry": 5, "layer": 22, "status": 1, "id": 4 },]</pre>

31. Office Origin Unit Organogram

Parameter Name	Office Origin Unit Organogram
Description	Through this parameter can be found Employee Office Origin Unit Organogram ID, including parent, level, name Bn, name, office Origin, Office Origin Unit, ministry, layer, status Id.

Request

Method	Get
Live URL	https://n-doctor-api.nothi.gov.bd/api/v1/officeoriginunitorganogram
Method	Post
Training URL	https://n-doctor-api-stage.nothi.gov.bd/api/v1/officeoriginunitorganogram

Params

id:51
originUnit:
superiorUnit:
superiorDesignation:
name:
nameBn:
shortName:
shortNameBn:
level:
sequence:
status:
xgselect:
xgorder:
xgoffset:
xgdesc:1
xglimit:5
xgcount:

xglogic:or

Response

Method	URL
JSON	<pre>[{ "sequence": 1, "superiorUnit": 0, "superiorDesignation": 0, "level": 1, "nameBn": "জেলা প্রশাসক", "name": "DC", "shortNameBn": "", "originUnit": 4, "shortName": "", "id": 51 }]</pre>

Query String (reserved)

Following 7 parameters are reserved and have definite meanings to build the query. These 7 parameters are all optional and in case of availability some pre-configured default values are used.

	Required	Optional
	Type	string
	Description	Names of the fields to select/project separated by +(" " character in the URL).
xgselect	Example	xgselect=id+name+nameBn It will select id, name and nameBn fields. If this parameter is not specified, a default set of fields will be projected.
	Default	Pre-configured default projections.
**	<i>Note</i>	If `xgcount` is passed as a parameter, `xgselect` and its associated parameters will be ignored. Associated parameters to `xgselect` are `xgorder`, `xgoffset` and `xglimit`.

	Required	Optional
	Type	string

xgorder	Description	Name of the field based on which the result data will be ordered or sorted. By if the order direction is not set then the direction of order is ascending i.e. from lower to higher.
	Example	xgorder=id It will order the result data based on the id field.
**	<i>Note</i>	If it is not passed or ignored than the associated parameters are also ignored. Associated parameters is `xgdesc`.

xgdesc	Required	Optional
	Type	integer/boolean (1/true)
	Description	Whether the result data be sorted in descending order.
	Example	xgdesc= 1 or xgdesc=true

	Required	Optional
--	-----------------	----------

xgoffset	Type	integer
	Description	Starting index of the data to be retrieved (starts from 1).
	Example	xgoffset=20 Retrieve the data starting from the row 20.

xglimit	Required	Optional
	Type	integer
	Description	Total number of data rows to retrieve
	Example	xglimit=100
	Default	Pre-configured default limit. (usually – 1000)

xgcount	Required	Optional
	Type	integer/boolean (1/true)
	Description	It will return only the count of the retrieved data rows
	Example	xgcount=1 or xgcount=true

**	Note	If `xgcount` is passed as a parameter, `xgselect` and its associated parameters will be ignored. Associated parameters to `xgselect` are `xgorder`, `xgoffset`, `xgdesc` and `xglimit`.
----	------	---

xglogic	Required	Optional
	Type	String (Enum – or/and)
	Description	Whether the binding logic of the provided fields be JOIN (or) / INTERSECTION (and)
	Example	xglogic=and or xglogic=or
	Default	and